

## Exitflex produce a wide range of spray tips, hoses, systems and accessories



Airless and AAA Tips + accessories



High pressure thermoplastic hoses and accessories



Low pressure air and fluid hoses and accessories



Air fed breathing and control equipment




Fluid filter housings and screens



Fluid control equipment




Pressure feed equipment and air spray extensions




Airless and AAA spray guns



Agitators and mixing tanks



Suction feed tubes and systems



Colour change equipment



Blast Hoses and miscellaneous items

### The Exitflex Group

Subsidiary and Associated Companies



#### Exitflex (UK) Ltd

5 Airfield Road, Airfield Industrial Estate  
Christchurch BH23 3TG United Kingdom  
Tel: +44 (0)1202 478334  
Fax: +44 (0)1202 488110  
www.exitflex.co.uk  
e-mail: sales@exitflex.co.uk

#### Exitflex GmbH

Am Keuper 16  
D-90475 Nürnberg Germany  
Tel: +49 9128 72132-40  
Fax: +49 9128 72132-45  
www.exitflex.de  
e-mail: info@exitflex.de

#### Exitflex AB

Varlbergsvagen 24B  
S-434 39 Kungsbacka, Sweden  
Tel: +46 300 31970  
Fax: +46 300 564780  
www.exitflex.se  
e-mail: info@exitflex.se

#### Exitflex Dana Marketing Pty Ltd

P.O. Box 2447, Rowville Victoria 3178  
Australia  
Tel: +61-3-9752-8918  
Fax: +61-3-9011 6179  
e-mail: danadn@iprimus.com.au

#### Exitflex USA

254 Raritan Center Parkway  
Edison, New Jersey 08837-3610 USA  
Tel: +01 732 512 9141  
Fax: +01 732 512 9145  
www.exitflexusa.com  
e-mail: mail@exitflexusa.com

#### Exitflex PL Sp. z.o.o.

Plac Gornoslaski 20/5  
81-509 Gdynia  
Poland  
Tel: +48 58 620 70 41  
www.exitflex.com or www.exitflex.pl  
e-mail: biuro@exitflex.pl



**EXITFLEX®**  
Top Quality - Best Results

#### Exitflex SA

Ch-1196, Gland Switzerland  
Tel:(0041) 229999299  
Fax:(0041) 223642505  
www.exitflex.com  
e-mail: info@exitflex.com



To see the full range of Exitflex products get a copy of our fully priced brochure

Distributed by

# TRIA Pro45

## the new Reversible Spray Tip System For Air Assisted Airless Spray Guns

Upgrade **now** to  
TRIA Pro45 and

- Increase efficiency
- Reduce downtime
- Improve performance

Without the expense  
of changing your  
system

It's the upgrade that  
pays for itself.

The more you spray, the  
more you save.

**TRIA Pro45**

Designed for spray guns from these manufacturers

**Binks™ • Graco™ • Kremlin™  
Optima™ • Wagner™**



**EXITFLEX®**



[www.exitflex.co.uk](http://www.exitflex.co.uk) e-mail: [sales@exitflex.co.uk](mailto:sales@exitflex.co.uk) tel: +44 (0)1202 478334

## TRIA Pro45 reversible tip system for AAA guns

**TRIA Pro45** - the exciting new way to get the very best from your choice of leading Airless Air Assisted spray guns.

The compact, versatile Pro45 builds on the benefits of the original TRIA system to

- Save time • Cut rejects
- Clear blockages with ease without the mess of tip removal - enjoy your work - just twist and clear. **SIMPLE**
- Easy to operate and fits your choice of AAA spray gun
- Patented ball tip feature ensures stay clean, spit free operation

**Gain the advantage!**  
**Get TRIA Pro45 for your gun**  
**and start a better way of working.**



### The TRIA Pro45 System

The TRIA Pro45 system is designed to be fitted to the following guns:

- Binks™ 4400
- Graco™ G40
- Kremlin™ MVX and XCITE™
- Optima 2000™ series
- Wagner™ 4600

The TRIA Pro45 system is supplied as a kit comprising an air cap base, a reversible tip and air and fluid seals. The air cap retaining ring is not included, use the spray gun original.

### Tip options are

Premium standard and Superfine pre-atomiser as shown in the charts below.

### Component Parts/Spares

Air and fluid seals are specific to each gun model. Ensure when ordering spares that the correct items are specified. The air cap base and tips are universal.

- 45-500 Air cap base unit. Universal fit
- 45-510-XXX Premium standard tip (specify size)
- 45-519-XXX Superfine tip (specify size)
- 45-401-K Air seal for Kremlin™ MVX and XCITE™ guns
- 45-402-K Fluid seal for Kremlin™ MVX and XCITE™ guns
- 45-411-G Air seal for Graco™ G40 guns
- 45-412-G Fluid seal for Graco™ G40 guns
- 45-421-W Air seal for Wagner™ 4600 guns
- 45-422-W Fluid seal for Wagner™ 4600 guns
- 45-431-B Air seal for Binks™ 4400 guns
- 45-432-B Fluid seal for Binks™ 4400 guns
- 45-441-0 Air seal for Optima™ 2000 guns
- 45-442-0 Fluid seal for Optima™ 2000 guns

### Premium standard tips

Tip sizes		Flow rates at 100 bar		Spray Angle						
In	mm	L/min	GPM	10°	20°	30°	40°	50°	60°	70°
0.007	0.18	0.18	0.047	•	•	•	•			
0.009	0.23	0.25	0.066	•	•	•	•			
0.011	0.28	0.37	0.087	•	•	•	•	•	•	
0.013	0.33	0.57	0.150	•	•	•	•	•	•	•
0.015	0.38	0.72	0.190	•	•	•	•	•	•	•
0.017	0.43	0.98	0.260	•	•	•	•	•	•	•
0.019	0.48	1.30	0.340	•	•	•	•	•	•	•
0.021	0.53	1.52	0.400	•	•	•	•	•	•	•
0.023	0.58	1.83	0.480	•	•	•	•	•	•	•
0.025	0.63	2.13	0.560	•	•	•	•	•	•	•

The stock range is indicated by a large dot ● All other sizes are shown by a smaller black dot • and can be supplied to order.

### Superfine tips

Tip sizes		Flow rates at 100 bar		Spray Angle							
In	mm	L/min	GPM	10°	20°	30°	40°	50°	60°	70°	80°
0.006	0.15	0.1	0.03	•	•	•	•				
0.008	0.20	0.15	0.04	•	•	•	•				
0.010	0.25	0.23	0.06	•	•	•	•	•	•		
0.012	0.30	0.33	0.09	•	•	•	•	•	•		
0.014	0.35	0.45	0.13	•	•	•	•	•	•	•	•
0.016	0.40	0.64	0.17	•	•	•	•	•	•	•	•
0.018	0.45	0.77	0.20	•	•	•	•	•	•	•	•
0.020	0.50	0.98	0.26	•	•	•	•	•	•	•	•
0.022	0.55	1.15	0.32	•	•	•	•	•	•	•	•
0.024	0.60	1.36	0.38	•	•	•	•	•	•	•	•

Superfine tips are not stock items. They are available to order in sizes indicated by a black dot •

Tip size and spray angle coding eg 409 The first digit = spray angle (up to 40° 4 = 40°). The second digits = orifice in thousandths of an inch (09 = 9 thou)


**TRIA Pro45** is a patented Swiss design developed for the air assisted airless spray system which has become today's most important industrial spray finishing method.

**TRIA Pro45** will increase your system efficiency, reduce downtime and improve performance and do so without the problem of changing your system.

Upgrade your system now and make immediate savings.

**TRIA Pro45**

- Clears blockages fast
- Cuts production time loss
- Reduces rejects
- Stay clean aircap due to the patented system
- Superior finishes - spit free function and excellent control
- Reduces bounce and blow back with optimum atomisation
- Allows use of the smallest tip orifice for the best results without fear of blockages
- Saves paint by using the optimum tip size
- Reduces environmental pollution
- Choice of Premium Standard, or Superfine tips for the ultimate finish
- MWP 280bar (4400psi)



**Ordering information**

Please select the gun type, tip size and spray angle - see charts on facing page - then complete the order code

		TP45/...../...../.....
Binks™ 4400 =	B	
Graco™ G40 =	G	
Kremlin™ MVX or XCITE™ =	K	
Optima™ 2000 =	O	
Wagner™ 4600 =	W	
Premium standard tip =	PS	
Superfine pre-atomiser tip =	SF	Tip size

**For example**  
TP45/G/PS/409 is a system for a Graco™ gun with a premium standard 40° angle 0.009in tip



Illustrated are the aircap base, a typical fluid seal and a Premium standard tip